


Main weeds of the Waitakere Greenroof, June 2007

(scale: expanded clay balls are 4 to 6 mm diameter)



Common groundsel *Senecio vulgaris* (Europe, LHS) and Milkweed *Euphorbia peplus* (Europe RHS)



'Lotus' aka birdsfoot trefoil *Lotus pedunculatus* (Europe) and white clover *Trifolium repens* (Europe)




Epilobium ciliatum (N. America) (with the native bidibid, *Acaena microphylla* in the background, LHS) and Gravel groundsel *Senecio skirrhodon* (S. Africa, RHS - only 3 of these found on the roof on first sighting June 2007)



Fleabane *Conyza* sp. (N. America, LHS) and broadleaved plantain *Plantago major* (Europe, RHS)



Sowthistle *Sonchus oleraceus* (Europe, LHS) and bittercress, *Cardamine hirsuta* (Europe, RHS).



Dandelion *Taraxacum officinale* (Europe, LHS) and Bristly oxtongue *Picris echioides* (Europe, RHS)



Pearlwort *Sagina procumbens* (Europe, LHS) and Horned oxalis *Oxalis corniculata* (L.) (Europe, RHS) (also known as yellow wood sorrel)



English daisy *Bellis perennis* (L.) (Europe).



Bachelor's buttons *Cotula coronopifolia* (L.) (native - cosmopolitan) and jersey cudweed or pukatea *Pseudognaphalium luteoalbum* (L.) Hilliard and B.L. Burt (native - cosmopolitan)



Unknown tiny hairy and profuse weed yet to be ID!